	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	949	(375/354).CCLS.	USPAT; EPO; DERWENT	2004/05/03 15:05			0
2	IS&R	596	(375/343).CCLS.	USPAT; EPO; DERWENT	2003/10/27 10:33			0
3	IS&R	693	(375/350).CCLS.	USPAT; EPO; DERWENT	2003/10/24 12:13			0
4	BRS	8572	synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4	USPAT; EPO; DERWENT	2003/10/27 10:34			0
5	BRS	69	hitoshi.inv. and fujita.inv.	USPAT	2003/10/24 12:18			0
6	BRS	30	(synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4) and ((375/350).CCLS.)	USPAT; EPO; DERWENT	2003/10/27 08:54			0
7	BRS	34	(synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4) and ((375/354).CCLS.)	USPAT; EPO; DERWENT	2003/10/27 09:08			0
8	BRS	29	synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4 and nec.asn.	USPAT; EPO; DERWENT	2004/03/16 10:14			0
9	BRS	87	(synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4) and ((375/343).CCLS.)	USPAT; EPO; DERWENT	2003/10/27 09:54			0
10	IS&R	467	(375/377).CCLS.	USPAT; EPO; DERWENT	2003/10/27 10:10			0
11	BRS	10	synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4 AND ((375/377).CCLS.)	USPAT; EPO; DERWENT	2003/10/27 10:10			0
12	IS&R	1004	(375/371).CCLS.	USPAT; EPO; DERWENT	2003/10/27 10:10			0
13	BRS	47	synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4 AND ((375/371).CCLS.)	USPAT; EPO; DERWENT	2003/10/27 10:11			0
14	IS&R	509	(375/362).CCLS.	USPAT; EPO; DERWENT	2003/10/27 10:33			0
15	IS&R	450	(375/373).CCLS.	USPAT; EPO; DERWENT	2003/10/27 10:34			0
16	IS&R	1470	(375/376).CCLS.	USPAT; EPO; DERWENT	2003/10/27 10:34			0
17	BRS	57	synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4 and ((375/376).CCLS.)	USPAT; EPO; DERWENT	2003/10/27 10:34			0
18	BRS	18	synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4 and ((375/362).CCLS.)	USPAT; EPO; DERWENT	2003/10/27 10:34			0
19	BRS	21	synchroniz$6 and select$3 and match$3 and intermediate and phase and control$4 and ((375/373).CCLS.)	USPAT; EPO; DERWENT	2003/10/27 10:41			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
20	IS&R	1466	(375/376).CCLS.	USPAT	2004/02/19 10:31			0
21	BRS	79	((375/376).CCLS.) and synchroniz$5 and ((intermediate adj frequenc$3) or IF)	USPAT	2004/03/15 14:43			0
22	BRS	59	((375/376).CCLS.) and synchroniz$5 and ((intermediate adj frequenc$3) or IF) AND (CLOCK OR CLOCK$1)	USPAT	2004/04/05 09:53			0
23	BRS	9020	select$3 and match$3 and (intermediate or IF) and (clock or clock$1) and phase and control$4	USPAT; EPO; DERWENT	2004/03/16 10:16			0
24	BRS	2585	select$3 and (phase same match$3) and (intermediate or IF) and (clock or clock$1) and control$4	USPAT; EPO; DERWENT	2004/03/16 10:17			0
25	BRS	1607	select$3 and (phase same match$3) and (intermediate or IF) and (clock or clock$1) and control$4 and synchroniz$3	USPAT; EPO; DERWENT	2004/04/05 09:56			0
26	BRS	10	"6018556"	USPAT	2004/03/16 11:45			0
27	BRS	3	"5930697"	USPAT	2004/04/05 09:53			0
28	BRS	922	select$3 and (phase same match$3) and (intermediate or IF) and (clock or clock$1) and control$4 and synchroniz$3 and tim$3 and compara$3	USPAT; EPO; DERWENT	2004/04/05 09:58			0
29	BRS	58	select$3 and (phase same match$3) and (intermediate or IF) and (clock or clock$1) and control$4 and synchroniz$3 and tim$3 and compara$3 and (375/376).CCLS	USPAT; EPO; DERWENT	2004/05/06 14:55			0
30	BRS	2182	((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))	USPAT; US-PGPUB; EPO; DERWENT	2004/05/07 09:46			0
31	IS&R	1179	(375/354).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:20			0
32	IS&R	761	(375/343).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:20			0
33	IS&R	915	(375/350).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:20			0
34	IS&R	521	(375/377).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:20			0
35	IS&R	1135	(375/371).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:21			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
36	IS&R	511	(375/373).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:21			0
37	IS&R	1770	(375/376).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:21			0
38	IS&R	545	(375/362).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 15:28			0
39	BRS	14	(((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/362).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 15:30			0
40	BRS	79	(((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/376).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 15:30			0
41	BRS	9	(((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/354).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 15:30			0
42	BRS	33	(((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/371).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 15:30			0
43	BRS	22	(((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/373).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:18			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
44	BRS	3	(((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/343).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 15:30			0
45	IS&R	1179	(375/354).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:20			0
46	IS&R	761	(375/343).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:20			0
47	IS&R	915	(375/350).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:20			0
48	IS&R	521	(375/377).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:20			0
49	IS&R	1135	(375/371).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:21			0
50	IS&R	1770	(375/376).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:21			0
51	IS&R	511	(375/373).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:21			0
52	BRS	52	(((((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) same (select$4 or switch$3 or choos$3) same ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/373).CCLS.)) and ((375/373).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:22			0
53	BRS	12	(((((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) same (select$4 or switch$3 or choos$3) same ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/373).CCLS.)) and ((375/371).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:22			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
54	BRS	1	(((((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) same (select$4 or switch$3 or choos$3) same ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/373).CCLS.)) and ((375/343).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:27			0
55	BRS	5	(((((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) same (select$4 or switch$3 or choos$3) same ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/373).CCLS.)) and ((375/354).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:28			0
56	BRS	1	(((((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) same (select$4 or switch$3 or choos$3) same ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/373).CCLS.)) and ((375/350).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:29			0
57	BRS	15	(((((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) same (select$4 or switch$3 or choos$3) same ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/373).CCLS.)) and ((375/376).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/03 16:29			0
58	BRS	52	((((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) same (select$4 or switch$3 or choos$3) same ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1))) and ((375/373).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/06 12:14			0
59	BRS	60	select$3 and (phase same match$3) and (intermediate or IF) and (clock or clock$1) and control$4 and synchroniz$3 and tim$3 and compara$3 and (375/376).CCLS and match$3	USPAT; EPO; DERWENT	2004/05/06 15:09			0
60	BRS	60	select$3 and (phase same match$3) and (intermediate or IF) and clock and control$4 and synchroniz$3 and tim$3 and compara$3 and (375/376).CCLS and match$3	USPAT; EPO; DERWENT	2004/05/06 16:13			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
61	IS&R	1	("5056121").PN.	USPAT	2004/05/06 16:13			0
62	BRS	459	((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1)) and match$3 and select$4	USPAT; US-PGPUB; EPO; DERWENT	2004/05/07 09:10			0
63	IS&R	1779	(375/376).CCLS.	USPAT; US-PGPUB; EPO; DERWENT	2004/05/07 09:10			0
64	BRS	17	((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1)) and match$3 and select$4 and ((375/376).CCLS.)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/07 09:11			0
65	BRS	3	"5056121"	USPAT; US-PGPUB; EPO; DERWENT	2004/05/07 09:30			0
66	BRS	526	((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1)) and match$3	USPAT; US-PGPUB; EPO; DERWENT	2004/05/07 13:47			0
67	BRS	347	((phase near2 detect$4) or (phase near2 compar$6) or PD or FD/PD or PD/FD or (phase adj2 match$3) or (phase near2 synchron$8)) with (select$4 or switch$3 or choos$3) with ((timing near2 circuit$3) or (timing near2 device$1) or (control$4 near2 tim$3) or (control$4 near2 circuit$3) or (control$4 near2 device$1)) and match$3 and (375/376.ccls or PLL or feedback)	USPAT; US-PGPUB; EPO; DERWENT	2004/05/07 13:49			0